



Roc

Joan Gaspar

marset

Wall light for indoor and outdoor use, with a pressed glass diffuser. Its wavy shade covers the light, softens it, and creates an inviting atmosphere. Now, Roc evolves to provide more light and expands its collection with two new sizes and a white finish.

All versions include two accessories: a dome-shaped piece that covers the LED and floods the shade with light, and another that acts as a filter to reduce glare. Roc resembles a shining block of ice, with an irregular texture that invites you to touch it.



Roc Mini

Code	Finish	CCT
A701-510-35-27K	● White (RAL 9003)	27K
A701-510-35-30K	● White (RAL 9003)	30K
A701-510-39-27K	● Black (RAL 9005)	27K
A701-510-39-30K	● Black (RAL 9005)	30K


Materials
Structure: Aluminium
Shade: Pressed glass

Dimmable: Yes
Integrated dimmer: No
Dimming protocols: It depends on the purchased power supply.

Product type: Wall / Ceiling
Light source: LED SMD 24Vdc 2,9W CR190 291lm
Luminaire: (Power supply not included) 109lm

Weight: Net 0,52 kg – Gross 0,68 kg
Package: 12 x 12 x 13,5 cm – 0,68 kg Vol – 0,0019 m³
LED included

Wire installation: Hardwired
Accessory: Filter to reduce glare (Included).



Dimmable

CE

ERAC



UK

IP65

Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II




info@marset.com
www.marset.com

Recessed accessory

Code A701-513
 Finish ● White

Materials
 Structure: Stainless steel

Product type: Accessory
 Product notes: Accessory to recess Roc Mini



Downward anti-glare accessory

Code A701-514
 Finish ● Black

Materials
 Structure: Stainless steel


Product type: Accessory
 Product notes: Accessory to reduce glare and guide light downward



Roc Mini



Roc Mini with Downward anti-glare accessory



Roc

Code	Finish	CCT	Tension	Class
A701-500-35-27K	● White (RAL 9003)	27K	230 Vac	II
A701-500-35-30K	● White (RAL 9003)	30K	230 Vac	II
A701-500-39-27K	● Black (RAL 9005)	27K	230 Vac	II
A701-500-39-30K	● Black (RAL 9005)	30K	230 Vac	II
A701-504-35-27K	● White (RAL 9003)	27K	24 Vdc	III
A701-504-35-30K	● White (RAL 9003)	30K	24 Vdc	III
A701-504-39-27K	● Black (RAL 9005)	27K	24 Vdc	III
A701-504-39-30K	● Black (RAL 9005)	30K	24 Vdc	III


Materials
 Structure: Aluminium
 Shade: Pressed glass

Dimmable: Yes
 Integrated dimmer: No
 Dimming protocols: Phase cut (Triac),
 220-240 VAC version

Product type: Wall / Ceiling
 Light source: LED SMD 500mA 7,1W CRI90 928lm
 Luminaire: 220-240 VAC TRIAC 9,5W 421lm
 Light source: LED SMD 24 Vdc 5W CRI90 495lm
 Luminaire: (Power supply not included)

Weight: Net 1,64 kg – Gross 2,03 kg
 Package: 19 x 19 x 19 cm – 2,03 kg Vol – 0,0069 m³
 LED included

Product notes: DALI available upon request.
 Wire installation: Hardwired
 Accessory: Filter to reduce glare (Included).



Power supply Dimmable

Code	Description	Dimming	Class
968-360	6W - 24V	On/off	II
968-223-23	20W - 24V	Triac	II
968-262	50W - 24V	Triac	II
968-227	35W - 24V	DALI	II
968-206	60W - 24V	DALI	II




info@marset.com
 www.marset.com

Roc Plus

Code	Finish	CCT
A701-502-35-27K	● White (RAL 9003)	27K
A701-502-35-30K	● White (RAL 9003)	30K
A701-502-39-27K	● Black (RAL 9005)	27K
A701-502-39-30K	● Black (RAL 9005)	30K

Materials	Dimmable: Yes
Structure: Aluminium	Integrated dimmer: No
Shade: Pressed glass	Dimming protocols: Phase cut (Triac)



Dimmable



IP65

Product type: Wall / Ceiling
Light source: LED SMD 500mA 8,3W CRI90 1115lm
Luminaire: 220-240 VAC TRIAC 10,8W 540lm

Weight: Net 2,40 kg – Gross 2,86 kg
Package: 22,5 x 22,5 x 19 cm – 2,86 kg Vol – 0,0096 m³
LED included

Product notes: DALI available upon request.
Wire installation: Hardwired
Accessory: Filter to reduce glare (Included).



info@marset.com
www.marset.com