
Compass

wall light



Table of contents

| | |
|---|--------|
| 1. Product overview | Page 2 |
| 2. Finishes and materials | Page 2 |
| 3. Light Source & dimming | Page 2 |
| 4. Functionality & Accessories | Page 3 |
| 5. Photometric data and technical information | Page 3 |
| 6. Ordering codes | Page 4 |
| 7. Certifications & standards | Page 5 |
| 8. Maintenance & Cleaning | Page 5 |

Versions



4070S
Page 4

Compass

wall light

1. Product overview

Metallic reading wall light with a circular rotating head designed for both reading and ambient lighting.

The head rotates up to 145° horizontally, allowing for direct reading light or indirect ambient illumination.

Driver included. Non dimmable.



2. Finishes and Materials



26 Black
55 Beige
59 Terracotta

3. Light Source & Dimming

Lamping

LED 3W (Ang. 38° / >90 CRI / 350mA) 100V - 240V

2700K / Typ* 285 lumens

3000K / Typ* 367 lumens

*Integrated LED module (included).

Dimming options:

Standard: NON DIMMABLE


Optional: TRIAC, DALI, CASAMBI

Compass

wall light

4. Functionality & Accessories


Flexibility: The circular head can rotate 145° horizontally.



5. Photometric Data and Technical Information

Photometric data corresponds to the output of each individual lamp.
Access to photometric files in download area.

2D / 3D / BIM Files available. Access to files in download area here.



Compass

wall light

6. Ordering Codes

Lamping

LED 3W (Ang. 38° / >90 CRI / 350mA) 100V - 240V
 2700K / Typ* 285 lumens
 3000K / Typ* 367 lumens
 *Integrated LED module (included).

DIM: NON DIMMABLE (Optional: TRIAC, DALI, CASAMBI)

Finishes

26 Black
 55 Beige
 59 Terracotta



| Drawing | Mounting | Finish Body | Ordering Code 2700K | Ordering Code 3000K |
|---------------|----------------------------------|-------------|------------------------|------------------------|
| COM_4070S | Wall light Surface mounted | Black | COM_4070S_26W | COM_4070S_26M |
| | | Beige | COM_4070S_55W | COM_4070S_55M |
| | | Terracotta | COM_4070S_59W | COM_4070S_59M |

Compass

wall light

7. Certifications & Standards

2700K version   $\frac{IP}{20}$  

3000K version   $\frac{IP}{20}$  

Warranty: 2 years

100% made in Spain

8. Maintenance & Cleaning

Our lighting fixtures are crafted with high-quality materials and finishes to ensure durability and timeless elegance. To maintain their original beauty, please follow these care recommendations:

1. Regular cleaning: Dust the fixture regularly using a soft, dry microfiber cloth to prevent buildup.
2. For deeper cleaning: If necessary, use a slightly damp cloth with clean water. Always dry the surface immediately with a dry cloth.
3. Avoid harsh products: Do not use alcohol, abrasive cleaners, solvents, or detergents, as they may damage the finish and alter the appearance.

In case of failure, LEDs can be easily replaced.