

IO

Claesson Koivisto Rune


In the shape of a small curved lunar disc, IO is a wall light with dual Led light emission. IO appears almost suspended, very close to the wall but never close enough to touch it; positioned at a distance that allows the light to gently caress the wall with an intimate skimming effect.



BIANCO

SPECIFICHE TECNICHE

Certificazione	CE
Materiale	Metallo
Emissione	Luce direzionabile
Potenza totale	2x4,5W
Sorgente luminosa	LED integrato
Flusso luminoso	2X350 Lm
Temperatura colore	2700 K
TYP CRI	>90
IP	20




SKU

F449045200BILE

BLU

SPECIFICHE TECNICHE

Certificazione	CE
Materiale	Metallo
Emissione	Luce direzionabile
Potenza totale	2x4,5W
Sorgente luminosa	LED integrato
Flusso luminoso	2X350 Lm
Temperatura colore	2700 K
TYP CRI	>90
IP	20



SKU

F449045200BLLE


NOTE

Wall lamp with directional light. Painted metal frame. Thanks to its dual-axis rotation frame, it has the distinguishing feature rotating on both longitudinal and transverse axes, for total light management. The Up/Down movement on the external diffuser widens and narrows the ray of light. Integrated led.

GRIGIO SCURO

SPECIFICHE TECNICHE

Certificazione	CE
Materiale	Metallo
Emissione	Luce direzionabile
Potenza totale	2x4,5W
Sorgente luminosa	LED integrato
Flusso luminoso	2X350 Lm
Temperatura colore	2700 K
TYP CRI	>90
IP	20



SKU

F449045200GSLE


NOTE

Wall lamp with directional light. Painted metal frame. Thanks to its dual-axis rotation frame, it has the distinguishing feature rotating on both longitudinal and transverse axes, for total light management. The Up/Down movement on the external diffuser widens and narrows the ray of light. Integrated led.

ROSSO

SPECIFICHE TECNICHE

Certificazione	CE
Materiale	Metallo
Emissione	Luce direzionabile
Potenza totale	2x4,5W
Sorgente luminosa	LED integrato
Flusso luminoso	2X350 Lm
Temperatura colore	2700 K
TYP CRI	>90
IP	20



SKU

F449045200ROLE


NOTE

Wall lamp with directional light. Painted metal frame. Thanks to its dual-axis rotation frame, it has the distinguishing feature rotating on both longitudinal and transverse axes, for total light management. The Up/Down movement on the external diffuser widens and narrows the ray of light. Integrated led.

BRONZO SCURO

SPECIFICHE TECNICHE

Certificazione	CE
Materiale	Metallo
Emissione	Luce direzionabile
Potenza totale	2x4,5W
Sorgente luminosa	LED integrato
Flusso luminoso	2X350 Lm
Temperatura colore	2700 K
TYP CRI	>90
IP	20



SKU

F449045200BSLE


NOTE

Wall lamp with directional light. Painted metal frame. Thanks to its dual-axis rotation frame, it has the distinguishing feature rotating on both longitudinal and transverse axes, for total light management. The Up/Down movement on the external diffuser widens and narrows the ray of light. Integrated led.

ORO

SPECIFICHE TECNICHE

Certificazione	CE
Materiale	Metallo
Emissione	Luce direzionabile
Potenza totale	2x4,5W
Sorgente luminosa	LED integrato
Flusso luminoso	2X350 Lm
Temperatura colore	2700 K
TYP CRI	>90
IP	20



SKU

F449045200OOLE

NOTE

Wall lamp with directional light. Painted metal frame. Thanks to its dual-axis rotation frame, it has the distinguishing feature rotating on both longitudinal and transverse axes, for total light management. The Up/Down movement on the external diffuser widens and narrows the ray of light. Integrated led.